## ROCK AND ROLLER 2-in-1 HAIR MASCARA

Colorful hair isn't just for festivals! We've created a 2-in-1 hair mascara that is heat activated so it helps hold those curls and crimps but also adds a pop of color! Express you inner Picasso and paint your vision right into your tresses. **#popyourhair #myhairmyway** 

Actigum<sup>™</sup> VSX 20: COSMOS approved very efficient thickener and suspensive agent, with a great sensory profile.

**EPITEX<sup>®</sup> 66 Polymer:** ready-to-use waterbased, film forming polymer that gives long lasting benefits and shortens the drying time on hair. Also improves the water resistance.


**ACUDYNE<sup>™</sup> 1000 Polymer:** hair styling polymer that increases hold and curl formation when heat activated. High hold, excellent humidity resistance and no flaking.

DOWSIL<sup>™</sup> CE-8411 Smooth Plus Emulsion: strong conditioning polymer that provides fast drying and heat protection benefits to prevent your curling iron from damaging your hair. Moisturizing feel and improved shine.

AMPD ULTRA PC<sup>\*\*</sup>: multifunctional additive and neutralizer for styling resins with an excellent safety profile. Aids in pigment dispersion to enhance coverage.

**15-SA-4669 Pink (Erythrosine Lake):** bright pink lake that can be dispersed into water, providing this vibrant color to your hair!









Trade name	INCI name	Function	Supplier	%
Phase A				
	Water (Aqua)	Solvent	Univar*	Q.S: 43.69
Actigum <sup>™</sup> VSX 20	Sclerotium Gum (and) Xanthan Gum	Thickener and suspensive agent, <b>COSMOS approved</b>	Cargill / Univar*	1.0
Phase B				
EPITEX <sup>™</sup> 66 Polymer	Acrylates Copolymer	Film former	Dow / Univar*	10.0
ACUDYNE <sup>™</sup> 1000 Polymer	Acrylates/Hydroxyesters Acrylates Copolymer	Hair fixative	Dow / Univar*	4.0
DOWSIL <sup>™</sup> CE-8411 Smooth Plus Emulsion	Bis-Isopropylamino-PG-Propyl Dimethicone/Bis-Isobutyl PEG- 14 Copolymer (and) Polysorbate 20 (and) Butyloctanol	Heat protection, fast drying	Dow / Univar*	5.36
XIAMETER <sup>™</sup> OFX-0193 Fluid SMP	PEG-12 Dimethicone	Plasticizer	Dow / Univar*	0.5
Kem CP	Phenoxyethanol, Chlorphenesin, Ethylhexylglycerin	Preservative	Akema / Univar*	1.0
Phase C				
AMPD ULTRA PC <sup>™</sup> (20% solution in water)	Aminomethyl Propanediol	Multifunctional additive, pH neutralizer	ANGUS® / Univar*	1.95
Phase D				
	Water (Aqua)	Solvent	Univar*	20.0
	Glycerin	Humectant, vegetable origin	Univar*	5.0
15-SA-4669 Pink (Erythrosine Lake)	CI 45430:1, CI 77002	Dye	Univar Colour*	7.5

Procedure (Cold process)

- 1. Slowly add Actigum<sup>™</sup> VSX 20 into the water vortex. Apply high shear (Silverson or Ultra-Turax at 7,000 rpm) for 7 min
- 2. Add each ingredient of phase B one by one while mixing until homogenous
- 3. Adjust the pH above 7.5 with phase C
- 4. Add the **Erythrosine Lake** into the vortex of phase D and mix until well dispersed and homogenous
- 5. Add phase D to phase ABC and mix until uniform

## Comments

- pH = 7.7
- Viscosity (spindle 6; 30 rpm; 1 min) = 20,800 cPs (62.4%)
- Application: Using disposable gloves, apply it on your hair with the mascara brush and spread it homogenously with your gloved fingers to avoid any color transfer. Let it dry for 30 seconds and style with a curling or crimping iron.
- Bright pink viscous gel

## Stability

Stable at least 1 month at RT, 4°C and 40°C (still ongoing)

Campaign: Connection – Millennial Beauty | IT0318 16 | Issued by: Univar's EMEA PC Laboratory in Cusago, Italy

\*Please contact your regional Univar Sales Representative to ensure that mentioned products are distributed in your country.

Disclamer – Univar 8W and its affiliates ("Univar") offers this suggested formulation as a representative formulation only. It is not a commercialized product. Univar relies on information and data from its suppliers on which to base this suggested formulation, but Univar has not subjected the suggested formulation to any testing for performance, efficacy or safety. Univar makes no warranties, express or implied, related to this suggested formulation, including warranties of merchantability or fitness for a particular purpose. Additionally, univar has not one any patent search on the suggested formulation. Before use, you must test the formulation, or any variance thereof, to determine its performance, efficacy and safety. Furthermore, it is your responsibility to obtain any necessary government clearance, license or registration. By taking this suggested formulation, you hereby agree to defend and hold Univar harmless from any claim of intellectual property infringement. Any suggested uses are not inducements to infringe any patent and should not be taken as such. 10:660-2018

