



Smooth sailing - moisture stick (dry skin)

Light weight lotion stick gently moisturizes skin without leaving a greasy after feel and is specially formulated for dry skin. Convenient solid form won't leak in your purse or bag and is TSA-friendly.



dl- α -Tocopherol

In-vivo antioxidant; helps prevent lipid peroxidation in cells and tissues; skin softener; reduces inflammation.

dl- α -Tocopheryl Acetate

Penetrates into the skin; bioconverts in the skin to active tocopherol; reduces UV-induced erythema and lipid peroxidation; helps with wound healing; exhibits anti-inflammatory activity; protects cells from UV damage; scavenges free radicals. Stable liquid form of Vitamin E; moisturizer; in-vivo antioxidant.



LexFeel® 7

Light emollient; non-oily.

LexFeel® WOW

100% plant-based, fast spreading, partially volatile alternative for silicones such as cyclotetrasiloxane and cyclopentasiloxane.

SustOleo™ DCS

Palm free, hydrolytically stable emollient with light cushion and powdery after feel.

Smooth sailing - moisture stick (dry skin)

Formula: NL0027-92-1

Supplier Ingredient	WT%	Trade Name	Supplier
PHASE A			
Octyldodecanol	40.65		
Dibutyl Lauroyl Glutamide	6.00	Gelatinization Agent GP-1	Ajinomoto OmniChem
Dibutyl Ethylhexanoyl Glutamide	4.00	Gelatinization Agent EB-21	Ajinomoto OmniChem
PHASE B			
Dicapryl Succinate	10.00	SustOleo™ DCS	Inolex
Neopentyl Glycol Diheptanoate	10.00	LexFeel® 7	Inolex
Triheptanoin (and) C13-16 Isoparaffin	4.60	LexFeel® WOW	Inolex
Helianthus Annuus (Sunflower) Seed Oil	10.00	Sunflower Oil	Arista
Prunus Amygdalus Dulcis (Sweet Almond) Oil	10.00	Almond Oil	Arista
Butyrospermum Parkii (Shea) Butter	3.00	Shea Butter	
PHASE C			
Tocopherol	0.75	dl- α -Tocopherol	DSM
Tocopheryl Acetate	1.00	dl- α -Tocopheryl Acetate	DSM

Procedure

- 1) Heat phase A to 120°C with stirring.
- 2) Heat phase B to 80-85°C with stirring.
- 3) When both phases are homogeneous and clear, add B to A with stirring.
- 4) Let cool down with stirring to 90°C and add phase C.
- 5) Pour into stick packages and cool. Product will become hard in approximately 15-20 minutes.

Appearance: Smooth, clear stick.