Power and Glory Hair Treatment

Packed with the power to save distressed tresses from breakage, split ends, and over styling dullness, this strengthening hair treatment will leave hair looking glorious.

This hair strengthening cream is formulated with ingredients shown to strengthen fragile hair, stop breakage, condition dry, brittle hair, protect hair against heat and styling damage, and encourage hair growth.



DOWSIL™ CE-8411 Smooth Plus

Emulsion: Provides reduced hair breakage, moisturized feel with increased smoothness, conditioning, heat protection, and shine.



DL-Panthenol 50L: Long-lasting moisturizer for hair, skin and nails; nourishes and strengthens hair; prevents hair damage caused by over-drying.

Niacinamide PC: In addition to benefits on skin (anti-inflammatory activity, skin moisturization, improving appearance of aging skin, protection from oxidative stress and urban pollution) studies suggest it provides anti-hair loss and hair growth benefits.



Lexemul® 561: Nonionic modified selfemulsifying glyceryl monostearate (HLB-10.0)

Lexemul® 515: Non-self-emulsifying grade of glyceryl monostearate (HLB-3.8)





Power and Glory Hair Treatment

		_				
COMPOSITION						
Phase	Ingredients	% by Wt	Trade Name	Supplier		
А	Water, DI	65.60				
	Carbomer	0.30	Vida-Care FD10	Nexeo/ Lambson		
	Glycerin	2.00	Glycerin, USP	Nexeo		
	Panthenol	0.20	DL-Panthenol 50L	Nexeo/ DSM		
В	Butyrospermum parkii (Shea Butter)	1.88	Shea Butter	Nexeo/ Arista		
	Cetearyl Alcohol	1.13	ADOL® 63	Nexeo/ Peter Cremer		
	Glyceryl Stearate (and) PEG-100 Stearate	2.78	Lexemul® 561	Nexeo/ Inolex		
	Glyceryl Stearate	0.98	Lexemul® 515	Nexeo/ Inolex		
	Prunus Amygdalus Dulcis (Sweet Almond) Oil	4.73	Almond Oil	Nexeo/ Arista		
	Glycine soja (Soybean) Oil	0.30	Soybean Oil	Nexeo/ Arista		
	Ricinus communis (Castor) Seed Oil	0.23	Castor Oil	Nexeo/ Arista		
	Simmondsia chinensis (Jojoba) Seed Oil	0.15	Jojoba Oil	Nexeo/ Arista		
	Vegetable Oil	0.15	SonneNatural Select Jojoba Enhanced	Nexeo/ Sonneborn		
	Tocopherol	0.10	dl-α-Tocopherol	Nexeo/ DSM		

COMPOSITION						
Phase	Ingredients	% by Wt	Trade Name	Supplier		
С	Niacinamide Water, DI	2.00 10.00	Niacinamide PC	Nexeo / DSM		
D	NaOH (10% solution) Water, DI	q.s. q.s.	NaOH	Nexeo		
E	Caprylyl Glycol (and) Phenoxyethanol (and) Hexylene Glycol	1.00	Lexgard® HPO	Nexeo/Inolex		
	Fragrance	0.50	Beach Walk Fragrance	Chemia		
	Bis-Diisopropanolamino-PG-Propyl Dimethicone/Bis-Isobutyl PEG-14 Copolymer (and) Polysorbate 20 (and) Butyloctanol	5.00	DOWSIL™ CE-8411 Smooth Plus Emulsion	Nexeo/ Dow		

PROCEDURE

- Sprinkle Vida-Care FD10 onto the water in phase A and allow to hydrate before mixing.
- Sequentially add remaining ingredients to phase A with mixing and heat to 75°C.
- Combine phase B ingredients and heat to 75°C with mixing until all ingredients are melted.
- 4. Add phase B to phase A with mixing and then cool to 50°C while continuing to mix.
- Combine phase C ingredients with mixing until clear and then add to phase AB with mixing.
- 6. Adjust pH of phase ABC to 5.3 to 5.6 with NaOH (10%) and q.s. with water.
- At 40°C, add phase E ingredients sequentially with mixing.

PROPERTIES

pH: 5.3 - 5.6

Brookfield Viscosity: 56,000 cP/ 32,000 cP/ 18,000 cP @ 5rpm/10rpm/20rpm w/ T-D Spindle (21°C)

FORMULATION NO.

NL0027-161-1

1.800.531.7106

Contact us to place orders, request samples, or get technical assistance.