

INGREDIENTE	PESO	INCI	FUNCIÓN
<b>FASE A</b>			
Agua desmineralizada	82.80	Water (aqua)	Vehículo
MaizeCare™ Style Polymer	3.00	Hydrolyzed Corn Starch	Formador de película
Glicerina	2.00	Glycerin	Humectante
ACULYN™ 88 Rheology Modifier	2.00	Acrylates/Steareth-20 Methacrylate Crosspolymer	Modificador reológico
<b>FASE B</b>			
ACULYN™ Siltouch Rheology Modifier	2.00	Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (and) Dimethicone (and) Trideceth-6 (and) PEG/PPG -18/18 Dimethicone	Modificador reológico
Novaoil™ Coco	2.00	Cocos Nucifera (Coconut) Oil, Vegetable Oil	Activo reparador de cutícula
Novaoil™ Palta	2.00	Persea Gratissima (Avocado) Oil, Vegetable Oil.	Activo antioxidante
HydroxySHIELD™ Polymer	1.00	Bis-Diisopropanolamino-PG-Propyl Disiloxane /Bis-Vinyl Dimethicone Copolymer	Agente de acondicionamiento superior
UCON™ Fluid AP	2.00	PPG-14 Butyl Ether	Emoliente
<b>FASE C</b>			
AMP-ULTRA® PC-2000	Q.S. to pH 6.5	Aminomethyl Propanol	Regulador de pH
<b>FASE D</b>			
Biosure® FE	0.70	Phenoxyethanol (and) Ethylhexylglycerin	Conservador
Fragrance	0.50	Fragrance	
	<b>100.00</b>		